

DC SEPARATE-EXCITATION MOTORS FOR GOLF CARS (2.2KW)

Model	XQT-2.2-7H3	XQT-2.2-9H3	XQT-2.2-10H3	XQT-2.2-11H3V
R.P KW	2.2			
R.V V	36			
R.C A	78			76
R.P.M	2800		2200	
R.EXC.C A	7.5			
MIN.EXC.C A	5			3.8
Rating Min	60			
Protection Lv.	IP44			
Application	2-4 Seats Golf Car			
Structure Features(Shaft Extension & Connection)	Concave Extension without end cover, 19-tooth Inch Internal Spline	Square Flange Connection, Internal Spline(m=1,z=18)		Concave Extension without end cover, 19-tooth Inch Internal Spline, With Speed sensor

DC SEPARATE-EXCITATION MOTORS FOR GOLF CARS (3KW)

Model	XQT-3-5H3V	XQT-3-12HV	XQT-3-13HV	XQT-3-14HV
R.P KW	3			
R.V V	48		36	
R.C A	78	75	97	
R.P.M	2800	2600	1790	3210
R.EXC.C A	7.5		10	
MIN.EXC.C A	5			
Rating Min	60			
Protection Lv.	IP44			
Application	4-6 Seats Golf Car			
Structure Features(Shaft Extension & Connection)	Concave Extension without end cover, 19-tooth Inch Internal Spline, With Speed sensor			

DC SEPARATE-EXCITATION MOTORS FOR GOLF CARS (3.8KW)

Model	XQT-3.8HV	XQT-3.8AHV	XQT-3.8-1HV
R.P KW	3.8		
R.V V	48		
R.C A	88		91
R.P.M	3600		2800
R.EXC.C A	7.3		9
MIN.EXC.C A	6		6.3
Rating Min	60		
Protection Lv.	IP44		
Application	4-6 Seats Golf Car		
Structure Features(Shaft Extension & Connection)	Concave Extension without end cover, 19-tooth Inch Internal Spline, With Speed sensor	Concave Extension without end cover, 19-tooth Inch Internal Spline, With Dual. Position Speed sensor	Concave Extension without end cover, 19-tooth Inch Internal Spline, With Speed sensor

DC SEPARATE-EXCITATION MOTORS FOR GOLF CARS (4KW I)

Model	XQT-4HV	XQT-4-4BHV	XQT-4-8HV	XQT-4-9HV
R.P KW	4			
R.V V	48			
R.C A	101	99	102	96
R.P.M	2800	2500	2200	2750
R.EXC.C A	9	9.5	10	
MIN.EXC.C A	5	6.5	5.5	7
Rating Min	60			
Protection Lv.	IP44			
Application	6-8 Seats Golf Car			
Structure Features(Shaft Extension & Connection)	Concave Extension without end cover, 19-tooth Inch Internal Spline, With Speed sensor		19-tooth Inch Internal Spline, With Speed sensor	

DC SEPARATE-EXCITATION MOTORS FOR GOLF CARS (4KW II)

Model	XQT-4-10HV	XQT-4-11HV	XQT-4-11AHV	XQT-4-12HV
R.P KW	4			
R.V V	48			
R.C A	100	98		95
R.P.M	2450	3480		3080
R.EXC.C A	10		11	8.5
MIN.EXC.C A	5			
Rating Min	60			
Protection Lv.	IP44		IP20	
Application	6-8 Seats Golf Car			
Structure Features(Shaft Extension & Connection)	10-tooth Inch Internal Spline, With Speed sensor	Concave Extension without end cover, 19-tooth Inch Internal Spline, With Speed sensor	10-tooth Inch Internal Spline, With Speed sensor	Concave Extension without end cover, 19-tooth Inch Internal Spline, With Speed sensor